



## Producer Statement

### NZ Ceiling and Drywall Supplies Limited

### Collated Drywall Screws

December 2013

New Zealand Ceiling and Drywall Supplies collated drywall screws have been tested by SCION Research, Rotorua and achieved the following performance.

- BU wind = 83 (69 BU/m) as limited by the ultimate capacity. 1200 x 2.4 **GIB standard board tested on concrete floor**
- BU earthquake = 64 (54 BU/m) as limited by ultimate capacity. 1200 x 2.4 **GIB standard board tested on concrete floor**
- BU wind = 149 (124 BU/m) as limited by the ultimate capacity. 1200 x 2.4 **GIB Braceline board one side walls as tested on concrete floor**
- BU Earthquake = 126 (105BU/m) as limited by the ultimate load capacity. **GIB Braceline board one side walls as tested on concrete floor**

Based on independent structural testing, New Zealand Ceiling & Drywall Supplies Limited warrants that when NZCDS 32mm x 6g drywall screws are substituted for GIB® Grabber® screws in GIB EzyBrace® systems the claimed structural bracing performance will not be compromised and meets the in-service structural bracing performance of the relevant GIB Ezybrace® system(s).

#### **Limitation**

This warranty is limited to structural bracing performance and does not extend to fire or noise control functionality.

**NORTH SHORE:** 28C Poland Road, Glenfield, P.O. Box 101-969, N.S.M.C.  
**AUCKLAND:** 7 Botha Road, Penrose, P.O. Box 12-569, Penrose  
**WELLINGTON:** Plaster Warehouse Ltd, P.O. Box 2562, Wellington Mail Centre  
**CHRISTCHURCH:** 19 Lismore Street, Waltham, P.O. Box 9270, Christchurch  
**HEAD OFFICE:** 28C Poland Road, Glenfield, P.O. Box 101-969, N.S.M.C.

Phone: (09) 443-5006, Fax: (09) 443-5889  
Phone: (09) 579-0015, Fax: (09) 579-1188  
Phone: (04) 472-2311, Fax: (04) 472-2620  
Phone: (03) 365-7607, Fax: (03) 374-9717  
Phone: (09) 443-5007, Fax: (09) 443-5008